

# WCAG 2.0 Checklist

## Perceivable

### Web content is made available to the senses - sight, hearing, and/or touch

#### Guideline 1.1

##### Text Alternatives: Provide text alternatives for any non-text content

Success Criteria	Recommendations
<a href="#">1.1.1 Non-text Content</a> (Level A)	<ul style="list-style-type: none"> <li><input type="checkbox"/> All images, form image buttons, and image map hot spots have appropriate, equivalent alternative text.</li> <li><input type="checkbox"/> Images that do not convey content, are decorative, or with content that is already conveyed in text are given null alt text (alt="") or implemented as CSS backgrounds. All linked images have descriptive alternative text.</li> <li><input type="checkbox"/> Equivalent alternatives to complex images are provided in context or on a separate (linked and/or referenced via longdesc) page.</li> <li><input type="checkbox"/> Form buttons have a descriptive value.</li> <li><input type="checkbox"/> Form inputs have associated text labels or, if labels cannot be used, a descriptive title attribute.</li> <li><input type="checkbox"/> Embedded multimedia is identified via accessible text.</li> <li><input type="checkbox"/> Frames are appropriately titled.</li> </ul>

#### Guideline 1.2

##### Time-based Media: Provide alternatives for time-based media

NOTE: If the audio or video is designated as an alternative to web content (e.g., an audio or sign language version of a web page, for example), then the web content itself serves as the alternative.

Success Criteria	Recommendations
<a href="#">1.2.1 Prerecorded Audio-only and Video-only</a> (Level A)	<ul style="list-style-type: none"> <li><input type="checkbox"/> A descriptive text transcript (including all relevant visual and auditory clues and indicators) is provided for non-live, web-based audio (audio podcasts, MP3 files, etc.).</li> <li><input type="checkbox"/> A text or audio description is provided for non-live, web-based video-only (e.g., video that has no audio track).</li> </ul>
<a href="#">1.2.2 Captions (Prerecorded)</a> (Level A)	<ul style="list-style-type: none"> <li><input type="checkbox"/> Synchronized captions are provided for non-live, web-based video (YouTube videos, etc.)</li> </ul>
<a href="#">1.2.3 Audio Description or Media Alternative (Prerecorded)</a> (Level A)	<ul style="list-style-type: none"> <li><input type="checkbox"/> A descriptive text transcript OR audio description audio track is provided for non-live, web-based video</li> </ul>
<a href="#">1.2.4 Captions (Live)</a> (Level AA)	<ul style="list-style-type: none"> <li><input type="checkbox"/> Synchronized captions are provided for all live multimedia that contains audio (audio-only broadcasts, web casts, video conferences, Flash animations, etc.)</li> </ul>
<a href="#">1.2.5 Audio Description (Prerecorded)</a> (Level AA)	<ul style="list-style-type: none"> <li><input type="checkbox"/> Audio descriptions are provided for all video content NOTE: Only required if the video conveys content visually that is not available in the default audio track.</li> </ul>
<a href="#">1.2.6 Sign Language (Prerecorded)</a> (Level AAA)	<ul style="list-style-type: none"> <li><input type="checkbox"/> A sign language video is provided for all media content that contains audio.</li> </ul>
<a href="#">1.2.7 Extended Audio Description (Prerecorded)</a> (Level AAA)	<ul style="list-style-type: none"> <li><input type="checkbox"/> When an audio description track cannot be added to video due to audio timing (e.g., no pauses in the audio), an alternative version of the video with pauses that allow audio descriptions is provided.</li> </ul>

<a href="#">1.2.8 Media Alternative (Prerecorded)</a> (Level AAA)	<input type="checkbox"/> A descriptive text transcript is provided for all pre-recorded media that has a video track.
<a href="#">1.2.9 Audio-only (Live)</a> (Level AAA)	<input type="checkbox"/> A descriptive text transcript (e.g., the script of the live audio) is provided for all live content that has audio.

### Guideline 1.3

**Adaptable: Create content that can be presented in different ways (e.g., simpler layout) without losing information or structure**

Success Criteria	Recommendations
<a href="#">1.3.1 Info and Relationships</a> (Level A)	<ul style="list-style-type: none"> <li><input type="checkbox"/> Semantic markup is used to designate headings (&lt;h1&gt;), lists (&lt;ul&gt;, &lt;ol&gt;, and &lt;dl&gt;), emphasized or special text (&lt;strong&gt;, &lt;code&gt;, &lt;abbr&gt;, &lt;blockquote&gt;, for example), etc. Semantic markup is used appropriately.</li> <li><input type="checkbox"/> Tables are used for tabular data. Headings, where necessary, are used to associate data cells with headers. Data table captions and summaries are used where appropriate.</li> <li><input type="checkbox"/> Text labels are associated with form input elements. Related form elements are grouped with fieldset/legend.</li> </ul>
<a href="#">1.3.2 Meaningful Sequence</a> (Level A)	<ul style="list-style-type: none"> <li><input type="checkbox"/> The reading and navigation order (determined by code order) is logical and intuitive.</li> </ul>
<a href="#">1.3.3 Sensory Characteristics</a> (Level A)	<ul style="list-style-type: none"> <li><input type="checkbox"/> Instructions do not rely upon shape, size, or visual location (e.g., "Click the square icon to continue" or "Instructions are in the right-hand column").</li> <li><input type="checkbox"/> Instructions do not rely upon sound (e.g., "A beeping sound indicates you may continue.").</li> </ul>

### Guideline 1.4

**Distinguishable: Make it easier for users to see and hear content including separating foreground from background**

Success Criteria	Recommendations
<a href="#">1.4.1 Use of Color</a> (Level A)	<ul style="list-style-type: none"> <li><input type="checkbox"/> Color is not used as the sole method of conveying content or distinguishing visual elements.</li> <li><input type="checkbox"/> Color alone is not used to distinguish links from surrounding text unless the luminance contrast between the link and the surrounding text is at least 3:1 and an additional differentiation (e.g., it becomes underlined) is provided when the link is hovered over or receives focus.</li> </ul>
<a href="#">1.4.2 Audio Control</a> (Level A)	<ul style="list-style-type: none"> <li><input type="checkbox"/> A mechanism is provided to stop, pause, mute, or adjust volume for audio that automatically plays on a page for more than 3 seconds.</li> </ul>
<a href="#">1.4.3 Contrast (Minimum)</a> (Level AA)	<ul style="list-style-type: none"> <li><input type="checkbox"/> Text and images of text have a contrast ratio of at least 4.5:1.</li> <li><input type="checkbox"/> Large text (over 18 point or 14 point bold) has a contrast ratio of at least 3:1</li> </ul>
<a href="#">1.4.4 Resize text</a> (Level AA)	<ul style="list-style-type: none"> <li><input type="checkbox"/> The page is readable and functional when the text size is doubled.</li> </ul>
<a href="#">1.4.5 Images of Text</a> (Level AA)	<ul style="list-style-type: none"> <li><input type="checkbox"/> If the same visual presentation can be made using text alone, an image is not used to present that text.</li> </ul>
<a href="#">1.4.6 Contrast (Enhanced)</a> (Level AAA)	<ul style="list-style-type: none"> <li><input type="checkbox"/> Text and images of text have a contrast ratio of at least 7:1.</li> <li><input type="checkbox"/> Large text (over 18 point or 14 point bold) has a contrast ratio of at least 4.5:1</li> </ul>

<a href="#">1.4.7 Low or No Background Audio</a> (Level AAA)	<input type="checkbox"/> Audio of speech has no or very low background noise so the speech is easily distinguished.
<a href="#">1.4.8 Visual Presentation</a> (Level AAA)	<p>Blocks of text over one sentence in length:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Are no more than 80 characters wide.</li> <li><input type="checkbox"/> Are NOT fully justified (aligned to both the left and the right margins).</li> <li><input type="checkbox"/> Have adequate line spacing (at least 1/2 the height of the text) and paragraph spacing (1.5 times line spacing).</li> <li><input type="checkbox"/> Have a specified foreground and background color. These can be applied to specific elements or to the page as a whole using CSS (and thus inherited by all other elements).</li> <li><input type="checkbox"/> Do NOT require horizontal scrolling when the text size is doubled.</li> </ul>
<a href="#">1.4.9 Images of Text (No Exception)</a> (Level AAA)	<input type="checkbox"/> Text is used within an image only for decoration (image does not convey content) OR when the information cannot be presented with text alone.

## Operable

### Interface forms, controls, and navigation are operable

#### Guideline 2.1

##### Keyboard Accessible: Make all functionality available from a keyboard

Success Criteria	Recommendations
<a href="#">2.1.1 Keyboard</a> (Level A)	<ul style="list-style-type: none"> <li><input type="checkbox"/> All page functionality is available using the keyboard, unless the functionality cannot be accomplished in any known way using a keyboard (e.g., free hand drawing).</li> <li><input type="checkbox"/> Page-specified shortcut keys and accesskeys (accesskey should typically be avoided) do not conflict with existing browser and screen reader shortcuts.</li> </ul>
<a href="#">2.1.2 No Keyboard Trap</a> (Level A)	<input type="checkbox"/> Keyboard focus is never locked or trapped at one particular page element. The user can navigate to and from all navigable page elements.
<a href="#">2.1.3 Keyboard (No Exception)</a> (Level AAA)	<input type="checkbox"/> All page functionality is available using the keyboard.

#### Guideline 2.2

##### Enough Time: Provide users enough time to read and use content

Success Criteria	Recommendations
<a href="#">2.2.1 Timing Adjustable</a> (Level A)	<input type="checkbox"/> If a page or application has a time limit, the user is given options to turn off, adjust, or extend that time limit. This is not a requirement for real-time events (e.g., an auction), where the time limit is absolutely required, or if the time limit is longer than 20 hours.
<a href="#">2.2.2 Pause, Stop, Hide</a> (Level A)	<ul style="list-style-type: none"> <li><input type="checkbox"/> Automatically moving, blinking, or scrolling content that lasts longer than 5 seconds can be paused, stopped, or hidden by the user. Moving, blinking, or scrolling can be used to draw attention to or highlight content as long as it lasts less than 5 seconds.</li> <li><input type="checkbox"/> Automatically updating content (e.g., automatically redirecting or refreshing a page, a news ticker, AJAX updated field, a notification alert, etc.) can be paused, stopped, or hidden by the user or the user can manually control the timing of the updates.</li> </ul>
<a href="#">2.2.3 No Timing</a> (Level AAA)	<input type="checkbox"/> The content and functionality has no time limits or constraints.

<a href="#">2.2.4 Interruptions</a> (Level AAA)	<input type="checkbox"/> Interruptions (alerts, page updates, etc.) can be postponed or suppressed by the user.
<a href="#">2.2.5 Re-authenticating</a> (Level AAA)	<input type="checkbox"/> If an authentication session expires, the user can re-authenticate and continue the activity without losing any data from the current page.

## Guideline 2.3

### Seizures: Do not design content in a way that is known to cause seizures

Success Criteria	Recommendations
<a href="#">2.3.1 Three Flashes or Below Threshold</a> (Level A)	<input type="checkbox"/> No page content flashes more than 3 times per second unless that flashing content is sufficiently small and the flashes are of low contrast and do not contain too much red. ( <a href="#">See general flash and red flash thresholds</a> )
<a href="#">2.3.2 Three Flashes</a> (Level AAA)	<input type="checkbox"/> No page content flashes more than 3 times per second.

## Guideline 2.4

### Navigable: Provide ways to help users navigate, find content, and determine where they are

Success Criteria	Recommendations
<a href="#">2.4.1 Bypass Blocks</a> (Level A)	<input type="checkbox"/> A link is provided to skip navigation and other page elements that are repeated across web pages. <input type="checkbox"/> If a page has a proper heading structure, this may be considered a sufficient technique instead of a "Skip to main content" link. Note that navigating by headings is not yet supported in all browsers. <input type="checkbox"/> If a page uses frames and the frames are appropriately titled, this is a sufficient technique for bypassing individual frames.
<a href="#">2.4.2 Page Titled</a> (Level A)	<input type="checkbox"/> The web page has a descriptive and informative page title.
<a href="#">2.4.3 Focus Order</a> (Level A)	<input type="checkbox"/> The navigation order of links, form elements, etc. is logical and intuitive.
<a href="#">2.4.4 Link Purpose (In Context)</a> (Level A)	<input type="checkbox"/> The purpose of each link (or form image button or image map hotspot) can be determined from the link text alone, or from the link text and it's context (e.g., surrounding paragraph, list item, table cell, or table headers). <input type="checkbox"/> Links (or form image buttons) with the same text that go to different locations are readily distinguishable.
<a href="#">2.4.5 Multiple Ways</a> (Level AA)	<input type="checkbox"/> Multiple ways are available to find other web pages on the site - at least two of: a list of related pages, table of contents, site map, site search, or list of all available web pages.
<a href="#">2.4.6 Headings and Labels</a> (Level AA)	<input type="checkbox"/> Page headings and labels for form and interactive controls are informative. Avoid duplicating heading (e.g., "More Details") or label text (e.g., "First Name") unless the structure provides adequate differentiation between them.
<a href="#">2.4.7 Focus Visible</a> (Level AA)	<input type="checkbox"/> It is visually apparent which page element has the current keyboard focus (i.e., as you tab through the page, you can see where you are).
<a href="#">2.4.8 Location</a> (Level AAA)	<input type="checkbox"/> If a web page is part of a sequence of pages or within a complex site structure, an indication of the current page location is provided, for example, through breadcrumbs or specifying the current step in a sequence (e.g., "Step 2 of 5 - Shipping Address").

<a href="#">2.4.9 Link Purpose (Link Only)</a> (Level AAA)	<ul style="list-style-type: none"> <li><input type="checkbox"/> The purpose of each link (or form image button or image map hotspot) can be determined from the link text alone.</li> <li><input type="checkbox"/> There are no links (or form image buttons) with the same text that go to different locations.</li> </ul>
<a href="#">2.4.10 Section Headings</a> (Level AAA)	<ul style="list-style-type: none"> <li><input type="checkbox"/> Beyond providing an overall document structure, individual sections of content are designated using headings, where appropriate.</li> </ul>

## Understandable

### Content and interface are understandable

---

#### Guideline 3.1

##### Readable: Make text content readable and understandable

Success Criteria	Recommendations
<a href="#">3.1.1 Language of Page</a> (Level A)	<ul style="list-style-type: none"> <li><input type="checkbox"/> The language of the page is identified using the HTML lang attribute (&lt;html lang="en"&gt;, for example).</li> </ul>
<a href="#">3.1.2 Language of Parts</a> (Level AA)	<ul style="list-style-type: none"> <li><input type="checkbox"/> When appropriate, the language of sections of content that are a different language are identified, for example, by using the lang attribute (&lt;blockquote lang="es"&gt;</li> </ul>
<a href="#">3.1.3 Unusual Words</a> (Level AAA)	<ul style="list-style-type: none"> <li><input type="checkbox"/> Words that may be ambiguous, unknown, or used in a very specific way are defined through adjacent text, a definition list, a glossary, or other suitable method.</li> </ul>
<a href="#">3.1.4 Abbreviations</a> (Level AAA)	<ul style="list-style-type: none"> <li><input type="checkbox"/> Expansions for abbreviations are provided by expanding or explaining the definition the first time it is used, using the &lt;abbr&gt; element, or linking to a definition or glossary. NOTE: WCAG 2.0 gives no exception for regularly understood abbreviations (e.g., "HTML" on a web design site must always be expanded).</li> </ul>
<a href="#">3.1.5 Reading Level</a> (Level AAA)	<ul style="list-style-type: none"> <li><input type="checkbox"/> A more understandable alternative is provided for content that is more advanced than can be reasonably read by a person with roughly 9 years of primary education.</li> </ul>
<a href="#">3.1.6 Pronunciation</a> (Level AAA)	<ul style="list-style-type: none"> <li><input type="checkbox"/> If the pronunciation of a word is vital to understanding that word, its pronunciation is provided immediately following the word or via a link or glossary.</li> </ul>

#### Guideline 3.2

##### Predictable: Make Web pages appear and operate in predictable ways

Success Criteria	Recommendations
<a href="#">3.2.1 On Focus</a> (Level A)	<ul style="list-style-type: none"> <li><input type="checkbox"/> When a page element receives focus, it does not result in a substantial change to the page, the spawning of a pop-up window, an additional change of keyboard focus, or any other change that could confuse or disorient the user.</li> </ul>
<a href="#">3.2.2 On Input</a> (Level A)	<ul style="list-style-type: none"> <li><input type="checkbox"/> When a user inputs information or interacts with a control, it does not result in a substantial change to the page, the spawning of a pop-up window, an additional change of keyboard focus, or any other change that could confuse or disorient the user unless the user is informed of the change ahead of time.</li> </ul>
<a href="#">3.2.3 Consistent Navigation</a> (Level AA)	<ul style="list-style-type: none"> <li><input type="checkbox"/> Navigation links that are repeated on web pages do not change order when navigating through the site.</li> </ul>

<a href="#">3.2.4 Consistent Identification</a> (Level AA)	<ul style="list-style-type: none"> <li>❑ Elements that have the same functionality across multiple web pages are consistently identified. For example, a search box at the top of the site should always be labeled the same way.</li> </ul>
<a href="#">3.2.5 Change on Request</a> (Level AAA)	<ul style="list-style-type: none"> <li>❑ Substantial changes to the page, the spawning of pop-up windows, uncontrolled changes of keyboard focus, or any other change that could confuse or disorient the user must be initiated by the user. Alternatively, the user is provided an option to disable such changes.</li> </ul>

### Guideline 3.3

#### Input Assistance: Help users avoid and correct mistakes

Success Criteria	Recommendations
<a href="#">3.3.1 Error Identification</a> (Level A)	<ul style="list-style-type: none"> <li>❑ Required form elements or form elements that require a specific format, value, or length provide this information within the element's label (or if a label is not provided, within the element's title attribute).</li> <li>❑ If utilized, form validation cues and errors (client-side or server-side) alert users to errors in an efficient, intuitive, and accessible manner. The error is clearly identified, quick access to the problematic element is provided, and user is allowed to easily fix the error and resubmit the form.</li> </ul>
<a href="#">3.3.2 Labels or Instructions</a> (Level A)	<ul style="list-style-type: none"> <li>❑ Sufficient labels, cues, and instructions for required interactive elements are provided via instructions, examples, properly positioned form labels, and/or fieldsets/legends.</li> </ul>
<a href="#">3.3.3 Error Suggestion</a> (Level AA)	<ul style="list-style-type: none"> <li>❑ If an input error is detected (via client-side or server-side validation), provide suggestions for fixing the input in a timely and accessible manner.</li> </ul>
<a href="#">3.3.4 Error Prevention (Legal, Financial, Data)</a> (Level AA)	<ul style="list-style-type: none"> <li>❑ If the user can change or delete legal, financial, or test data, the changes/deletions are reversible, verified, or confirmed.</li> </ul>
<a href="#">3.3.5 Help</a> (Level AAA)	<ul style="list-style-type: none"> <li>❑ Provide instructions and cues in context to help in form completion and submission.</li> </ul>
<a href="#">3.3.6 Error Prevention (All)</a> (Level AAA)	<ul style="list-style-type: none"> <li>❑ If the user can submit information, the submission is reversible, verified, or confirmed.</li> </ul>

## Robust

**Content can be used reliably by a wide variety of user agents, including assistive technologies**

### Guideline 4.1

#### Compatible: Maximize compatibility with current and future user agents, including assistive technologies

Success Criteria	Recommendations
<a href="#">4.1.1 Parsing</a> (Level A)	<ul style="list-style-type: none"> <li>❑ Significant HTML/XHTML validation/parsing errors are avoided.</li> </ul>
<a href="#">4.1.2 Name, Role, Value</a> (Level A)	<ul style="list-style-type: none"> <li>❑ Markup is used in a way that facilitates accessibility. This includes following the HTML/XHTML specifications and using forms, form labels, frame titles, etc. appropriately.</li> </ul>